

Nickel at John Swett

This page was updated on October 15, 2003

Summary Statistics				
<i>Month</i>	<i>Number of Samples</i>	<i>Minimum (ng/m3)</i>	<i>Maximum (ng/m3)</i>	<i>Average (ng/m3)</i>
October-01	2	4.3	4.8	4.6
November-01	3	2.7	8.2	6.3
December-01	3	1.0	2.7	1.6
January-02	3	1.0	46.0	16.0
February-02	4	2.0	5.9	3.7
March-02	5	1.0	5.5	3.3
April-02	5	1.0	4.1	2.3
May-02	5	1.0	5.6	2.9
June-02	5	1.0	4.2	2.9
July-02	6	2.0	3.0	2.3
August-02	3	3.0	5.0	3.7
September-02	4	2.0	14.0	7.5
October-02	4	2.0	9.0	5.3
November-02	3	5.0	10.0	6.7
December-02	2	2.0	5.0	3.5
January-03	-	no data	no data	no data
February-03	3	2.0	4.0	3.0
March-03	-	no data	no data	no data
April-03	-	no data	no data	no data
May-03	-	no data	no data	no data
SUMMARY	Total	Minimum	Maximum	Average
	60	1	46	4.7

* The lowest concentration that can be measured (LOD) is 2 nanograms per cubic meter (ng/m3) through June 2002, and starting in July 2002 the LOD is 1 ng/m3. Values below the LOD are set to 0.5 * LOD.